JOURNAL OF ORGANOMETALLIC CHEMISTRY VOLUME 471, NUMBERS 1–2, MAY 31, 1994

Contents

Invited Review

Transition metal complexes in the chemistry of vinylcyclopropanes
R.I. Khusnutdinov and U.M. Dzhemilev (Ufa, Russian Federation) 1

Regular Papers

The effects of t-butyl substituents on the thermodynamic stability of the cyclopentadienide ion
T. Kinoshita, N. Murata, R. Fujita, Y. Yanagi and K. Takeuchi (Kyoto, Japan) (Rec'd September 1, 1993; in rev'd form October 6, 1993) 19

Beiträge zur Chemie organometallischer metallacyclischer Nebengruppenmetallverbindungen. IX. Eine ungewöhnliche Koordinationsgeometrie des Platin(II) in dem homoleptischen Metallacyclopentankomplex $[Li(PMDETA)]_2Pt-(CH_2CH_2CH_2CH_2)_2$
H.-O. Fröhlich, R. Wyrwa, H. Görls (Jena, Deutschland) und U. Pieper (Göttingen, Deutschland) (Eing. den 23. September 1993) . . . 23

Interaction of methyl- and phenyl-mercury(II) with the tripod ligand tris(2-dimethylaminoethyl)amine
C.A. Ghilardi, S. Midollini, A. Orlandini and A. Vacca (Firenze, Italy) (Rec'd date September 8, 1993) 29

Two-dimensional $^{13}C,^{199}Hg$ correlation: a new NMR method for characterisation of organomercury compounds
T. Fäcke and S. Berger (Marburg, Germany) (Rec'd September 16, 1993) 35

Tin/mercury exchange in 1,2-distannyl-1-alkenes and 1-silyl-2-stannyl-1-alkenes
T.N. Mitchell and B. Kowall (Dortmund, Germany) (Rec'd September 20, 1993) 39

Radical cations from trialkylsilanes: a computational study of structures and energetics
C. Glidewell (St. Andrews, UK) and C.J. Rhodes (London, UK) (Rec'd September 9, 1993) 43

Photochemical reactions of germoxanes: generation of germyl and germoxy radicals
K. Mochida, S. Mori, C. Yoshizawa, S. Tokura (Tokyo, Japan), M. Wakasa and H. Hayashi (Saitama, Japan) (Rec'd August 11, 1993; in rev'd form October 20, 1993) 47

Synthesis and characterization of diorganotin diethylphosphorothioates. Crystal structures of $([Me_2Sn\{O(S)P(OEt)_2\}]_2O)_2$ and $[^tBu_2Sn(\mu\text{-}OH)\{O(S)P(OEt)_2\}]_2$
V.B. Mokal, V.K. Jain (Bombay, India) and E.R.T. Tiekink (Adelaide, S.A., Australia) (Rec'd September 19, 1993) 53

Vibrational and ^{119}Sn Mössbauer spectra and X-ray crystal structure of ammonium tetrafluorodimethylstannate(IV)
D. Tudela (Madrid, Spain) (Rec'd August 4, 1993) 63

A reinvestigation of the crystal structure of the organotin complex formed in the reaction of butyltin trichloride with 1-(2-methyl-2,3-dihydrobenzothiazol-2-yl)-propan-2-one
W. Chen (Kuala Lumpur, Malaysia) 69

Structures and energetics of radical cations containing tributyltin fragments: a PM3 study
C. Glidewell (St Andrews, UK) and C.J. Rhodes (London, UK) (Rec'd October 6, 1993) 71

On pentaorganylstiborane. III. Regio- and diastereoselective additions of acetylenic and allenic organoantimony compounds to aldehydes
L.-J. Zhang, X.-S. Mo and Y.-Z. Huang (Shanghai, China) (Rec'd May 19, 1993; in rev'd form October 6, 1993) 77

Lanthanocene (Ln = Pr^{III}, Yb^{III}) chlorides involving tetramethyldisiloxane-interlinked cyclopentadienyl ligands
J. Gräper, R.D. Fischer (Hamburg, Germany) and G. Paolucci (Venezia, Italy) (Rec'd March 18, 1993; in rev'd form September 30, 1993) 87

New dinuclear bis(cyclopentadienyl)lanthanoid chlorides containing η^5-C_5H_4 ligands linked by a metal-coordinated 2,6-dimethylenepyridyl unit
G. Paolucci, R. D'Ippolito (Venezia, Italy), C. Ye, C. Qian (Shanghai, China), J. Gräper and D.R. Fischer (Hamburg, Germany) (Rec'd August 4, 1993) 97

Reactions of $(\eta^5\text{-}C_5Me_5)Ta(PMe_3)(H)_2(\eta^2\text{-}CHPMe_2)$ with heterocumulenes and the interconversion of tautomeric formamido complexes of tantalum
V.C. Gibson and T.P. Kee (Durham, UK) (Rec'd August 27, 1993) 105

Linear *vs.* bent M–O–R bonds in d^0 metal alkoxides: X-ray crystal structure of $(C_5Me_5)Ta(S^tBu)_3(O^nBu)$ and EHMO analysis
K. Tatsumi, A. Tahara and A. Nakamura (Osaka, Japan) (Rec'd September 1, 1993; in rev'd form October 20, 1993) 111

Neue FeAsS-Käfigstrukturen aus $[Cp^+Fe(CO)_2]_2$ ($Cp^+ = C_5Me_4Et$) und Realgar
H. Brunner, L. Poll, J. Wachter (Regensburg, Deutschland) und B. Nuber (Heidelberg, Deutschland) (Eing. den. 21. September 1993) . 117

Formation of antiferromagnetic heteronuclear thiolate and sulfide bridged complexes. II. Synthesis, magnetic properties, and molecular structures of the clusters $Cp_2Cr_2(\mu\text{-}SCMe_3)_2(\mu_4\text{-}S)W_2(\mu\text{-}I)_2(CO)_4(NO)_2$ and $Cp_2Cr_2(\mu_3\text{-}S)_2(\mu\text{-}SCMe_3)_2W(SCMe_3)(NO)$
I.L. Eremenko, H. Berke, A.A.H. Van der Zeijden (Zurich, Switzerland), B.I. Kolobkov and V.M. Novotortsev (Moscow, Russian Federation) (Rec'd September 8, 1993) 123

Cyclopentaannulation of podocarpic acid derivatives *via* (η^6-arene)tricarbonylchromium(0) complexes; ring D modification
R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate (Auckland, New Zealand) (Rec'd September 8, 1993) 133

Ring A modification of podocarpic acid derivatives: functionalization and cyclopentaannulation of ring C *via* (η^6-arene)tricarbonylchromium(0) complexes
R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate (Auckland, New Zealand) (Rec'd September 21, 1993) 149

Complexes of polyhydro-2,2′-bipyridines with molybdenum and tungsten carbonyls
S. Bokorny, J.A. Connor and H. Kaspar (Canterbury, UK) (Rec'd August 27, 1993) 157

Synthesis and molecular structure of the organometallic allylimido complex [*cis,trans*-$WCl_2(Ph_2PMe)_2(CO)(NCH_2CH{=}CH_2)$]
G.D. Forster and G. Hogarth (London, UK) (Rec'd September 15, 1993) 161
Mössbauer spectroscopy of (benzylideneacetone)$Fe(CO)_2L$ complexes with L = CO, phosphites and phosphines. An analysis of ligand effects
E.J.S. Vichi, E. Stein (Campinas, Brazil) and E.B. Saitovitch (Rio de Janeiro, Brazil) (Rec'd April 6, 1993; in rev'd form September 24, 1993) 165
The redox behaviour of ferrocene derivatives. VI. Benzylferrocenes. The crystal structure of decabenzylferrocenium tetrafluoroborate
P. Zanello, A. Cinquantini, S. Mangani, G. Opromolla (Siena, Italy), L. Pardi (Firenze, Italy), C. Janiak (Berlin, Germany) and M.D. Rausch (Amherst, MA, USA) (Rec'd July 14, 1993) 171
Oxidized Fe^{II} ferrocenylacetylide complexes. A novel type of mixed-valence complex
M. Sato, Y. Hayashi, H. Shintate (Saitama, Japan), M. Katada and S. Kawata (Tokyo, Japan) (Rec'd July 28, 1993) 179
Carbon–selenium bond cleavage in the double butterfly complex $[\{(CO)_6Fe_2(\mu\text{-}Se)_2\}_2(C(Ph){-}C(H))]$ and the synthesis and X-ray structural analysis of its dppe-substituted derivative
P. Mathur, Md.M. Hossain (Bombay, India) and M.F. Mahon (Bath, UK) (Rec'd October 7, 1993) 185
Organometallic materials for non-linear optics. Second harmonic generation by (aryldiazovinylidene)ruthenium complexes; X-ray structure of $[Ru(C{=}CPhN{=}NC_6H_4OMe\text{-}4)(PPh_3)_2(\eta\text{-}C_5H_5)][BF_4] \cdot CH_2Cl_2$
I.R. Whittall, M.P. Cifuentes, M.J. Costigan, M.G. Humphrey (Armidale, N.S.W., Australia), S.C. Goh (Clayton, Vic., Australia), B.W. Skelton and A.H. White (Nedlands, W.A., Australia) (Rec'd September 6, 1993) 193
Synthesis, structure, and oxidation-induced dimerization of a chelating bis(phosphite) Ruthenium carbonyl
B. Moasser, C. Gross and W.L. Gladfelter (Minneapolis, MN, USA) (Rec'd March 2, 1993; in rev'd form September 27, 1993) 201
Chemistry of polynuclear allenyl complexes: the $\mu\text{-}\eta^1:\eta^2$-allenyl diruthenium system $Ru_2(CO)_6(\mu\text{-}PPh_2)(\mu\text{-}\eta^1:\eta^2\text{-}C(Ph){=}C{=}CH_2)$. Dimetallocycles via C–C, C–N and C–S bond forming reactions and the X-ray structure of $Ru_2(CO)_6(\mu\text{-}PPh_2)\{\mu\text{-}\eta^1:\eta^1\text{-}PhC{=}C\{C(EtS)N(H)^tBu\}CH_2\}$
S.M. Breckenridge, A.J. Carty (Waterloo, Ont., Canada), M.A. Pellinghelli, A. Tiripicchio (Parma, Italy) and E. Sappa (Torino, Italy) (Rec'd September 10, 1993) 211
Coordination of primary amine ligands to an allyl ruthenium(IV) centre
J.W. Steed and D.A. Tocher (London, UK) (Rec'd September 9, 1993) 221
The hemilabile behaviour of alkyl diphenylphosphinoacetate ligands promoting the reversible coordination of small molecules on (η^6-arene)ruthenium(II) centres
B. Demerseman, C. Renouard, R. Le Lagadec, M. Gonzalez, P. Crochet and P.H. Dixneuf (Rennes, France) (Rec'd August 2, 1993) . . 229
Preparation of cyclic and acyclic thioethers via hexacarbonyldicobalt alkyne complexes
G.F. Mohmand, K. Thiele and M.J. Went (Kent, UK) 241
π-Olefin-Iridium-Komplexe. XIX. Synthese, Struktur und Reaktivität von Bis(dien)iridium-benzyl-, -cyclopropyl-, -vinyl- und -cyclopentadienyl-Komplexen
J. Müller, C. Friedrich, P.E. Gaede, S. Sodemann und K. Qiao (Berlin, Deutschland) (Eing. den 23. September 1993) 249
Cyclometallated compounds of palladium(II) with diphosphines. The X-ray crystal structure of $[\{Pd[2,3,4\text{-}(MeO)_3C_6HC(H){=}NCy]\}_2(\mu\text{-}Ph_2PC(=CH_2)PPh_2)Cl_2]$
J.M. Vila, M. Gayoso, J.J. Fernandez, J.M. Ortigueira, A. Fernandez (Santiago de Compostela, Spain), N.A. Bailey and H. Adams (Sheffield, UK) (Rec'd July 29, 1993) 259
Formation of an endo-type nine-membered metallocycle *via* insertion of diphenylacetylene into the σ(Pd-Csp^2, ferrocene) bond. X-Ray crystal structure of $[Pd\{\{(C_6H_5{-}C{=}C{-}C_6H_5)_2(\eta^5\text{-}C_5H_3){-}CH{=}N{-}.\ CH_2{-}C_6H_5\}Fe(\eta^5\text{-}C_5H_5)\}Cl] \cdot CH_2Cl_2$
C. López, X. Solans and D. Tramuns (Barcelona, Spain) (Rec'd July 28, 1993) 265
Structure of carbonylchloro(η^1-cyclopentadienyl) (methyldiphenylphosphine)platinum
R.J. Cross, L.J. Farrugia and K.E.A. Kuma (Glasgow, UK) (Rec'd October 6, 1993) 273
Synthesis and reactivity of *N,N'*-bis [*o*-(diphenylphosphino)benzylidene-2,2'-diimino-1,1'-binaphthylene (Binap-P_2N_2). Crystal structure of $[Ag(Binap\text{-}P_2N_2)][BF_4]$
W.-K. Wong (Kowloon, Hong Kong), J.-X. Gao (Fujian, People's Republic of China), W.-T. Wong, W.C. Cheng and C.-M. Che (Hong Kong) (Rec'd August 4, 1993) 277

Preliminary Communications

On the relationship of the equilibrium constants of exchange reactions involving HX-acids and their organometallic derivatives L_nMX with the absolute and chemical hardness of corresponding anions and cations
A.S. Peregudov, E.M. Rokhlina and D.N. Kravtsov (Moscow, Russian Federation) (Rec'd December 3, 1993) C1
Trialkyltin cation in solution
M. Kira, T. Oyamada and H. Sakurai (Sendai, Japan) (Rec'd September 29, 1993; in rev'd form December 22, 1993) C4
C–O bond cleavage and oxidative addition of allyl carboxylate to ruthenium(0) complex. Isolation of (π-allyl)(trifluoroacetato)tris(triethylphosphine)ruthenium(II)
S. Komiya, T. Kabasawa, K. Yamashita, M. Hirano and A. Fukuoka (Tokyo, Japan) (Rec'd September 29, 1993; in rev'd form December 22, 1993) C6
Oxidation of organoplatinum(II) and -palladium(II) complexes by water. The X-ray structure of the trimethylpalladium(IV) complex *fac*-[$PdMe_3$\{tris(pyrazol-1-yl)borate\}] formed on oxidation of a dimethylpalladium(II) reagent
A.J. Canty, R.T. Honeyman, A.S. Roberts, P.R. Traill (Hobart, Tasmania, Australia), R. Colton (Bundoora, Vic., Australia), B.W. Skelton and A.H. White (Nedlands, W.A., Australia) (Rec'd November 22, 1993) C8

Book Reviews C11

Conference Calender C14

Author Index C17

Subject Index C19

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.